1/2

Rural Architecture
in the
Chinese Taste.

Being Designs Entirely New
for the Decoration of
rdens. Parks. Forrests. Insides of Houses. &c.
on Sixty Copper Plates
ith full Instructions for Workmen

ALSO

A near Estimate of the Charge and
Hints where proper to be Erected
the Whole Invented & Drawn by
ll.m & In.o Halfpenny Architects.

Divided into Four Parts.

The 2.d Edition. 1752.

Printed for & Sold by Rob.t Sayer Map & Printseller
the Golden Buck, opposite Fetter Lane Fleet Street.

BRITISH MUSEUM

THE

PREFACE.

THE Art of deſigning Architecture is not confined to any particular Taſte or Country, more than juſtly obſerving a graceful Symmetry, and an exact Proportion thorough the whole. And the *Chineſe* Manner of Building being introduced here with Succeſs, the few following Eſſays are an Attempt to reſcue thoſe agreeable Decorations from the many bad Conſequences uſually attending ſuch ſlight Structures, when unſkillfully erected: Which muſt often unavoidably happen at a Diſtance

ſtance from this Metropolis, without ſuch Helps as, I flatter myſelf, the Workmen will here find laid down by,

Their Well-Wiſher,

WIL. HALFPENNY.

PART I.

Of Rural Buildings in the Chinese Taſte for Temples, Triumphal Arches, Garden Seats, Palings, &c.

PLATE I.

The Title.

PLATE II.

Shews two Sorts of Framing for Palings, Bridges, &c.

The firſt is term'd Single-brac'd framing, each Bay containing ſeven Pieces of Bracing, as in the Example. The four Side Braces are not included.

The moſt methodical Manner in laying down the Lines for this Work, is to divide the Length into four equal Parts, and the Heighth into the ſame by perpendicular and horizontal Lines, whoſe Interſections point out the Middle of every Mortiſe and Tenon; but the Workman muſt obſerve in this, and all Works of this Kind, to ſet half the Width of an inſide Timber or Brace on the inward Edge of each of the outſide Timber, as Poſts, Rails, or upright Bars, otherwiſe the Diviſion will not be equal.

N. B. *A Bay is underſtood by Carpenters to be the Meaſure from Middle to Middle of two Main-poſts.*

The Second is term'd Double-braced framing, whoſe Length muſt be divided into ſix equal Parts, and the Heighth into the ſame by perpendicular and horizontal Lines, which will point out the Middle of every Mortiſe and Tenon as beforementioned.

PLATE III.

Contains two Bays of different Kinds; the firſt is term'd Acute Angular Paling, whoſe Length muſt be divided into eight equal Parts, and its Heighth into four, by perpendicular and horizontal Lines.

The ſecond is termed Double-braced and Diamond-Paling, whoſe Length muſt be divided into ſix equal Parts, and its Heighth into the ſame by perpendicular and horizontal Lines.

PLATE IV.

Shews two different Bays of Paling; the firſt is termed Half-diamond braced Framing, whoſe Length muſt be divided into ſeven equal Parts, and its Heighth into four, by perpendicular and horizontal Lines.

The ſecond is termed Whole Diamond-braced Paling, which muſt be divided into the ſame Number of Parts as the foregoing.

PLATE V.

Containing two Hatches with a Bay on each Side; the firſt is termed a Diamond-Hatch, which is divided into two Diamonds, four Parallelograms, eight Acute and eight Angles, whoſe Width and Heighth is divided into two equal Parts, and the large Diamond firſt deſcribed. Its Sides much each be divided into three equal Parts, and Lines drawn parallel thereto, then deſcribe the outward Braces from Angle to Angle.

The

The Bay on the Right is divided in the ſame Manner, except the Braces which divides the Parallelograms.

The Bay, on the Left, is divided into three equal Parts high, and wide, by perpendicular and horizontal Lines.

The ſecond Figure is termed a Parallelogram Hatch, whoſe Heighth and Width muſt be divided, each into eight equal Parts, by perpendicular and horizontal Lines, and the Bays on the Sides each into four equal Parts wide, and four high.

PLATE VI.

Shews the Front and Profile of the Pilaſter and Truſs, with their Pedeſtals to the Cove Seat. *Plate* 7. See their Proportions.

The whole Heighth is divided into 60 equal Parts, which gives the ſeveral Heighths by the Help of horizontal dotted Lines from the Scale to the Object, the Figures on the Members are ſo many of thoſe 60 Parts. For Example, the Diameter of the Pilaſter at the Baſe is 6 and under the Capital 4 $\frac{1}{3}$ of thoſe Parts, the Front of the Truſs is 6 at the Baſe and 6 under the Capital, and ſo of all the other Members.

PLATE VII.

Shews the Plan and Elevation of a doubled coved Garden-Seat, ſuppoſed to be fixed at the Termination of a large Walk, and its Width, in the Clear is 17 Feet, and 14 Feet high from the Floor to the Foot of the lower Cove, and 22 high in Front; the back Wall up to the Pitch of

of the Roof may be built of Brick or Timber filled with four Inch Brick, and the Ornaments may be made of Wood, decorated in the *Chineſe* Manner, with nettled Work, *&c.* which may be executed for about 100 *l.*

PLATE VIII.

Repreſents a Building, in which is contained four cove Seats, and may be fitly ſituated in the Center of a large Square or Lawn, (raiſed above the common Surface by a Mount or Steps) about which are Woods or Plantations, with a grand Avenue from each Front. It may be built of Timber filled with four Inch Brick, and ſtucco'd within and without. Above the Crown of the Coves may be made a Room, wherein Muſicians may be ſecreted (and play on ſoft Muſick to the agreeable Surprize of Strangers, the Performers going in by a ſubterranean Paſſage, and a broad Step Ladder between the Backs of the Seats, and lighted by ſmall Windows in the Roof concealed from without. The Building may be executed for about 170 *l.* Steps not included.

PLATE IX.

Shews the Plan and Elevation of a circular Temple, proper to be built on an Eminence for a diſtant Mark, its Diameter, in the Clear, is 16 Feet, the Cupola may be open to the Room, whoſe Ceiling will be 26 Feet above the Floor, and a Cove made under the firſt Roof, to finiſh to a Coloſs fixed to the Kerb, wherein the Cupola is framed. The Walls, up to the Pitch of the Roof, are ſuppoſed to be Brick or Stone,

and

and the Cupola Timber filled with four Inch Brick. The Ornaments about the Door and Windows carved in Stone, and thoſe on the Roof of Timber. This Building may be executed for about 220 *l.*

PLATE X.

Repreſents the Plan and Elevation of an Octagon Summer-houſe, 14 Feet Diameter, and 14 Feet high from the Floor to the Ceiling, elevated on an artificial Rock, in which a Cellar, or Grotto, may be made. The Walls may be Brick, Stone, or Timber, and the Ornaments cut in Stone or Wood, and the Rails of the Steps Lattice Work. This Building, not including the Rock, may be executed, in a good Manner, for about 230 *l.*

PLATE XI.

Shews the Plan and Elevation of an open Building, the Length extends in the Clear 26 Feet ſix Inches, and its narroweſt Widths 12 Feet, raiſed on twiſted Timber Pillars, and incloſed by braced Work Raling; its ſuppoſed to be elevated above the common Surface on a large open Spot, where a Proſpect is required every way, which may be built in a good Manner for about 240 *l.*

PLATE XII.

Shews the Plan and Elevation of a Temple 15 Feet in the Clear both ways, and 18 Feet from the Floor to the Ceiling, under which is a Cove of three Feet. This Building is ſuppoſed

to

to be elevated on a ſmall Riſing (as in the Example) at the Termination of a grand Walk. The Walls may be built of Brick or Timber, filled with four Inch Brick ſtucco'd, and the Ornaments of Wood. This Building may be executed for about 280 *l.*

PLATE XIII.

The Plan and Elevation of a Banqueting-houſe, 18 Feet in the Clear both Ways, the Cupola open to the Room, whoſe Ceiling will be 24 Feet above the Floor, and a Cove of three Feet ſix Inches under the firſt Roof, to finiſh at a Coloſs fixed to the Kerb of the Roof, wherein the Cupola is framed. The Walls, up to the Pitch of the Roof, may be Brick, Stone, or Timber, filled in with four Inch Bricks and ſtucco'd. This Building will be agreeably ſituated on a Grand Amphitheatre of green Slopes, or on a Terras, &c. which may be executed in a good Manner for about 350 *l.*

PLATE XIV.

Shews the Plan and Elevation of a triumphal Arch, to be ſituated oppoſite the Front of a dwelling-Houſe, at the utmoſt Extent of a large Parterre, through which commences a Long-walk, incloſed by Woods or other rural Plantations. This Arch may be built in a good Manner for about 470 *l.*

The End of the Firſt Part.

BRITISH
15 DE 1925
MUSEUM

New Designs

For Chinese Temples

Triumphal Arches,

GARDEN SEATS, PALINGS &c.

ON

Fourteen Copper Plates,

BY

William Halfpenny Architect

Part 1.

Publish'd according to Act of Parliament Dec^r. 1. 1750.

LONDON

Printed for and Sold by Rob^t. Sayer, opposite

Fetter lane Fleet Street.

BRITISH MUSEUM

Plate 2.

A Chinese Single braid Paling



A Chinese Double braid Paling



BRITISH
15 DE 1925
MUSEUM

Plate 3.

A Chinese Acute angular Paleing



A Chinese Obtuse & Diamond Paleing.



BRITISH
15 DE 1925
MUSEUM

Plate 4.

A Chinese half diamond brac'd Paling



A Chinese diamond brac'd Paling.



BRITISH
15 DE 1925
MUSEUM

A Chinese Hatch &c.



A Chinese Parallelogram Hatch &c.



DIRETORIA
15 DE 1925
ARQUIVO

The front of the Truss to Plate. 7.



The front of the Pilaster to Plate. 7.



BRITISH
15 DE 1925
MUSEUM

Plate 2.

A Garden Seat Partly in the Chinese Tast.



Parr Sc.

BRITISH
15 DE 1925
MUSEUM

A Chinese Alcove Seat Fronting Four Ways





BRITISH
15 DE 1925
MUSEUM

Plate 9.

A Temple in the Chinese Taste





Parr Sc.

BRITISH
15 DE 1925
MUSEUM

A Summer House partly in the Chinese Taste upon a Rock





BRITISH
15 DE 1925
MUSEUM

Plate II.

A Building in the Chinese Tast





Parr Sc.

SMITHSONIAN
15 DE 1925
MUSEUM

Plate 12.

A Chinese Temple



Parr Sc.

BRITISH
15 DE 1925
MUSEUM

A Banqueting House in the Chinese Taste



y

BRITISH
15 DE 1925
MUSEUM

Plate 14.

A Chinese Triumphant Arch







Parr Sc.

BRITISH
15 DE 1925
MUSEUM

2

NEW
DESIGNS
FOR

CHINESE BRIDGES, TEMPLES, TRIUMPHAL ARCHES, GARDEN SEATS, PALINGS, OBELISKS, TERMINI'S, *&c.*

ON

FOURTEEN COPPER PLATES.

TOGETHER WITH

Full INSTRUCTIONS to WORKMEN Annex'd to each particular DESIGN;

A Near ESTIMATE of their CHARGE,

And Hints *Where* with moſt ADVANTAGE to be *Erected*.

The Whole Invented and Drawn by

Will: and *John Halfpenny*, Architects.

PART II.

Publiſhed according to Act of Parliament, Feb. 1, 1751.

LONDON:

Printed for R. SAYER, Printſeller, oppoſite *Fetter-Lane, Fleet-Street.*

NEW

DESIGNS

FOR

CHINESE BRIDGES, TEMPLES,
TRIUMPHAL ARCHES, GARDEN
SEATS, PALINGS, OBELISKS,
TERMINI's, &c.

ON

FOURTEEN COPPER PLATES,

TOGETHER

Full INSTRUCTIONS for WORKMEN
Annex'd to each particular DESIGN,
A Near ESTIMATE of their CHARGE,
And Hints how with most ADVANTAGE
to be Erected.

The Whole Invented and Drawn by

W. and John Halfpenny, Architects.

PART II.

LONDON:

Printed for R. SAYER, Printseller, opposite Fetter-
Lane, Fleet-Street.

THE

PREFACE.

My first Essays of CHINESE *Architecture being so well receiv'd by the Publick, has encouraged me to add many Improvements thereto; and to render that Taste of Building more compleat, I have with the Assistance of my Son, published this* Second Part, *hoping we have not only improved the former Sketches, but laid down several Objects in the* Chinese *Manner hitherto unknown, yet made easy to the meanest Capacity, by*

WIL. *and* JOHN HALFPENNY.

THE PREFACE.

MY Fifty Effays of Chineſe Architecture being ſo well receiv'd by the Publick, has encouraged me to add many Improvements thereto; and to render that Taſte of Building more compleat, I have with the Aſſiſtance of my Son, publiſhed this Second Part, hoping we have not only improved the former Sketches, but laid down ſeveral Objects in the Chineſe Manner hitherto unknown, yet made only to the meaner Capacity, by

Wm. and John HALFPENNY.

PART II.

Containing Plans and Elevations for CHINESE BRIDGES, TEMPLES, TRIUMPHAL ARCHES, GARDEN SEATS, OBELISKS, TERMINI's, *&c.*

PLATE XV.

THE Plan and Elevation of a Garden Seat, compoſed of Lattice Work, which may be covered with painted Canvas or otherwiſe. This Building will be moſt properly ſituated at the End of a Walk, or amidſt rural Plantations, and may be genteely compleated for 45 *l.*

PLATE XVI.

The Plan and Elevation of a ſemi-circular cov'd Seat, on an Elevation three Feet ſix Inches above the Surface, and aſcended to by Steps of Stone, if nich'd (as in the Deſign) the Walls muſt be of Brick or Stone, or otherwiſe of Timber fill'd with four Inch Brick and ſtucco'd. The Ornaments may be of Wood, *&c.* This Building is beſt to be erected at the Extent of a Lawn, Avenue, or wide Walk. To be elegantly compleated for 130 *l.*

PLATE XVII.

The Plan and Elevation of a Temple erected on a Mount, and aſcended to by an eaſy Slope, the Walls may be Brick, Stone or Timber, filled with four inch'd Brick; its Situation will be moſt agreeable in a large Opening, encompaſs'd with Woods

or

or rural Plantations, to which there is no other Paſſage than ſerpentine Walks, in order to cauſe an agreeable Surprize at firſt Sight; and may be finiſhed in the beſt Manner for 115*l.*

PLATE XVIII.

The Plan and Elevation of an open Temple, ſupported by ſquare Pillars, ornamented and encloſed by Lattice-Work; to be ſituated in the Center of a Grove or Wood, through which Walks are cut, ſo will form an agreeable Proſpect from ſeveral Places; and may be built for 240*l.*

PLATE XIX.

The Plan and Elevation of a Temple fourteen Feet by fourteen Feet in the Clear, the Cupola to be open to the Room, with a Cove under the firſt Roof, which finiſhes to a Coloſs fixed to the Kerb of the Roof. The Cieling of the Cupola will be twenty Feet above the Floor; the Walls may be made of Brick or Timber, fill'd with four inch Brick, and ſtucco'd. This Building is to be ſituated in the Center of a rural Plantation, with proper Walks or Avenues leading thereto; it may be built for 200*l.*

PLATE XX.

The Plan and Elevation of a triumphal Arch, being a proper Termination of a grand Avenue leading from a Gentleman's Seat to a Road or navigable River.

PLATE XXI, XXII, XXIII,

Repreſents the Elevations of Termini's for ſhort Receſſes in rural Plantations,

PLATE

PLATE XXIV.

The Elevation of an Obeliſk 40 Feet high, proper to be ſituated at the Termination of a long Walk, or in the Center of a large Square, *&c.*

N. B. *Any of the foregoing Buildings may be either reduc'd or enlarged by altering the Scale.*

PLATE XXV.

Repreſents the Plan of a ſingle truſs'd Timber Bridge, whoſe Spand is 30 Feet and Width in the Clear 9 Feet. The Poſts tend to the Center of the Curve, and the Floor of the Bridge, with the Rails, *&c.* anſwerable thereto; for the Length and Scantling of the Timbers ſee the Scale. This Bridge contains 380 Cube Feet of Timber.

PLATE XXVI.

Shews the Plan and Elevation of a double truſs'd Timber Bridge, whoſe Spand between the Top of the Butment is 45 Feet, and the Width in the Clear 16 Feet, each Side is fram'd in five Bays, and the bearing Truſs under the Middle of the Joiſt the ſame. The Curve next the Water is the Segment of a Circle, but the Floor of the Bridge with the Cornice which covers the Ends of the Joiſts, and Rails adjoining thereto and upper Rail are anſwerable to the Curve of a Cathanarian Arch, which is created by the ſwagging of a Chain, or they may be deſcribed by the Interſections of Lines*. The ſide Timbers and middle Pieces tend to the

N. B. The practical Lines for theſe or any other Curves us'd in Building, may be ſeen in a Book, entitled *The Art of ſound Building*, invented and publiſhed by me in the Year 1726, but are now found in ſeveral Volumes publiſhed by piratical Copiers extreamly erroneous.

Center

Center of the lower Curve, and are groov'd and bolted together; ſee their Plan A; the middle Pieces are taper, according to the ſommering of the Arch, which may be drove in farther, in caſe of Slackneſs by the Butments ſettling, or the Timber ſhrinking, and may be drove out if a Repair ſhould be wanting; either of the Bays may be taken out at Pleaſure, by ſtripping off the Cornice and ſecuring the other Bays by Struts, while the Repairs are executing; for the Scantling of the Timbers ſee the Scale. This Bridge contains 1012 Cube Feet of Timber.

PLATE XXVII.

Shews the Plan and Elevation of a ſingl. truſs'd Timber Bridge, whoſe Spand is 60 Feet, and its Width in the Clear 16 Feet; the main Poſts are each in one Piece, and the Struts, which tend to the Center of the lower Curve, are two inch Oak Plank, each of one Length let through the main Timbers by Mortices, and faſtened in by Pins; for the Length and Scantlings of the Timbers, ſee the Scale. This Bridge contains 1040 Cube Feet of Timber.

The Pavillion placed on the Bridge is for the Conveniency of Angling, Muſick, *&c.* which may be ſo contriv'd that it may be taken down or ſet up at Pleaſure.

PLATE XXVIII.

Shews the Plan and Elevation of a double truſs'd Timber Bridge, whoſe Spand is 40 Feet, and its Width in the Clear 12 Feet, the main Poſts tend to the Center of the Curve, and are each in one Piece thro' both Truſſes; for the Length and Scantling of the Timbers ſee the Scale. This Bridge contains 831 Cube Feet of Timber.

F I N I S.

BRITISH 15 DE 1925

Pl. 15.



A Termany, Seat in the Chinese Taste

10 9 8 7 6 5 4 3 2 1 10 feet

W. Halfpenny inv. Parr Sculp

BRITISH
15 DE 1925
MUSEUM

Plate 16.







A Garden Seat in the Chinese Taste.

Wm. Halfpenny Inv.t

Parr Sculp.

BRITISH
15 DE 1925
MUSEUM

Plate 17.



An Open Temple or Garden Seat in the Chinese Taste.



Wm. Halfpenny Invt.

Parr Sculp.

BRITISH
15 DE 1925
MUSEUM

Plate 18.



A Temple in the Chinese Taste

10 9 8 7 6 5 4 3 2 1 10 feet

Wm. Halfpenny Inv.t. Parr Sc.

BRITISH
15 DE 1925
MUSEUM

Plate 19.



A Building in the Chinese Taste.





Wm. Halfpenny Invt.

Parr Sc.

BRITISH
15 DE 1925
MUSEUM

Plate 20.



A Triumphant Arch in the Chinese Taste.





Wm. Halfpenny Inv.t Parr Sculp.

BRITISH
15 DE 1925
MUSEUM

Plate 21.

A Termany in the Chinese Taste.

John Halfpenny Invt. delint.

inches 12 9 6 3 1 2 3 4 5 feet

Parr Sculp

BRITISH
15 DE 1925
MUSEUM

Plate 22.

A Termany in the Chinese Taste.

inches 12 9 6 3 1 2 3 4 5 6 7 feet

John Halfpenny Inv.t et delin. Parr Sculp.

BRITISH
15 DE 1925
MUSEUM

Plate 23.



Termanyes Partly in the Chinese Taste.



John Halfpenny Inv.t et delin.

Parr Sculp.

BRITISH
15 DE 1926
MUSEUM

Plate 24.



An Obulisk in the Chinese Taste.

10 9 8 7 6 5 4 3 2 1 10 feet

John Halfpenny Inv.t & delin. *Parr Sculp.*

Plate 25.

A single Truss'd Bridge in



The Plan





Wm. Halfpenny Inv.t et delin.

in the Chinese Taste.



Plan



Feet

10 20 30

Parr Sculp

Plate 26.

A double Truss'd Bridge



The Plan



Will.m Halfpenny Inv.t delin.t

in the Chinese Taste.



Parr Sculp.

Plate 27.

A Single Truss'd Bridge in



The Plan



Wm. Halfpenny Inv.t et delin.

in the Chinese Taste.



lan



0 30 40 60 *feet*

Parr Sculp.

Plate 28..

A double Truss'd Bridge in the



The Plan



W.m Halfpenny Inv.t et delin.

in the Chinese Taste.



n

20 30 feet

Parr Sculp

BRITISH
15 DE 1925
MUSEUM

NEW

DESIGNS

FOR

CHINESE DOORS, WINDOWS, PIERS, PILASTERS, GARDEN SEATS, GREEN HOUSES, SUMMER HOUSES, &c.

ON

SIXTEEN COPPER PLATES,

TOGETHER

With INSTRUCTIONS to *Workmen*, annex'd to each particular DESIGN;

The whole Invented and Drawn by

Will. and *John Halfpenny*, Architects.

PART III.

Publiſhed according to Act of Parliament, May 1ſt, 1751.

LONDON:

Printed for ROBERT SAYER, Map and Printſeller, at the Golden Buck oppoſite *Fetter-Lane*, *Fleetſtreet*.

NEW

DESIGNS

FOR

CHINESE DOORS, WINDOWS,
PIERS, PILASTERS, GARDEN
SEATS, GREEN HOUSES, SUM-
MER HOUSES, &c.

ON

SIXTEEN COPPER PLATES.

BRITISH MUSEUM

With INSTRUCTIONS to Workmen, annex'd to
each particular DESIGN;

The whole Invented and Drawn by

WILL. and PHILIP HALFPENNY, Architects.

PART III.

Published according to Act of Parliament, May 18, 1751.

LONDON:

Printed for ROBERT SAYER, Map and Printseller, at
the Golden Buck opposite Fetter-Lane, Fleet-Street.

PART III.

PLATE XXIX.

A Front Door decorated in the CHINESE manner, whoſe Heighth is equal to twice its Width; the Pilaſters which bears the Arch are one fifth of the Door wide, and 8 Diameters high, from the lower Line of the Plinth to the upper Line of the Chaptrel.

PLATE XXX.

Another Door of the ſame Proportion, whoſe Ornaments on each Side are equal to one fourth of the Width.

PLATE XXXI.

Another Door of the ſame Proportion, whoſe Pilaſters on each Side are two ninths of the Door's Width, and 7 Diameters and two thirds high from the lower Line of the Plinth, to the upper Line of the Chaptrel.

PLATE

PLATE XXXII.

A Window decorated in the CHINESE manner, whoſe Heighth is equal to two Widths and one Sixth, and the Ornaments on each Side to one Fifth of the Door.

PLATE XXXIII.

Another Window of the ſame Proportion, whoſe Ornaments on each Side are equal to one Seventh of the Width in the Clear.

PLATE XXXIV.

Another Window, whoſe Heighth is equal to 2 Widths and one Third in the Clear, and the Architrave two Ninths.

PLATE XXXV.

A Pier in the CHINESE manner, 7 Diameters high from the lower Line of the Subplinth, to the upper Line of the Cap, which may be introduc'd as a Pilaſter in the Front of a Building; *See the following Deſigns, Plates* XLI, XLII, and XLIII.

PLATE XXXVI.

Another Pier or Pilaſter, 8 Diameters and one Ninth high, from the lower Line of the Plinth to the upper Line of the Cap.

PLATE XXXVII.

Another Pier or Pilaſter, 8 Diameters and one half high, from the lower Line of the Subplinth, to the

the upper Line of the Cap. *See Plate* XLIII, *where it is introduc'd as a Pilaſter.*

PLATE XXXVIII.

A Garden Seat in the CHINESE manner; the Seat anſwers to the Front only, the other being diminiſh'd in perſpective.

PLATE XXXIX.

Another Garden Seat in the CHINESE manner, 14 Feet long, and 9 Feet 8 Inches high, proper for the Termination of a long Walk or Avenue.

PLATE XL.

Another Garden Seat in the CHINESE manner, whoſe Railing receſſes five Eighths of an Inch, within the outſide Frame, whoſe Edge is work'd with a Moulding of that Depth.

PLATE XLI.

A ſmall Green Houſe in the CHINESE manner 28 Feet by 12 Feet, and 11 Feet high in the Clear.

PLATE XLII.

Another Green Houſe 27 Feet 4 Inches, by 12 Feet, and 13 Feet high in the Clear.

PLATE XLIII.

Another Green Houſe 25 Feet by 12 Feet, and 15 Feet high in the Clear.

PLATE

PLATE XLIV.

An Octagon Summer Houſe, in the CHINESE manner, 12 Feet 6 Inches Diameter, and 10 Feet from the Floor to the Foot of a Cove, which ſprings 3 Feet into the Roof; this Building is moſt ſuitable to be placed on an Eminence which commands a good Proſpect.

BOOKS

Printed for ROBERT SAYER,

MAP and PRINT-SELLER.

At the GOLDEN BUCK, oppoſite FETTER-LANE, FLEET-STREET.

I.

THE firſt and ſecond Parts of Chineſe Architecture, being new Deſigns of Plans and Elevations for Temples, Triumphal Arches, Garden Seats, Palings, Bridges, Obeliſks, Terminis, *&c.* with full Inſtructions to Workmen, annex'd to each particular Deſign, a near Eſtimate of their Charge and Hints, where, with moſt Advantage, to be erected. The whole invented and drawn by *William* and *John Halfpenny*, Architects, Price 2*s.* 6*d.* each Part.

II.

Twenty new Deſigns of Chineſe Lattice, and other Works for Stair-Caſes, Gates, Palings, Hatches, *&c.* on ſix Folio Copper Plates; with full Inſtructions annex'd to the ſeveral Diviſions, Scantlings, *&c.* thereby making the whole eaſy to Workmen of every Capacity, by *William Halfpenny*, Architect, Price 2*s.*

III.

III.

Twelve beautiful Deſigns for Farm Houſes, with their proper Offices and Eſtimates of the whole, and every diſtinct Building, ſeparate with the Meaſurement and Value of each Particular Article, adapted to the cuſtomary Meaſurements of moſt Parts of *England*; but more particularly for the following Counties, *viz. Middleſex*, *Surry*, *Eſſex*, *Kent*, *Suſſex*, *Hampſhire*, *Hertfordſhire*, *Cambridgeſhire*, *Berkſhire*, *Buckinghamſhire*, *Oxfordſhire*, *Wiltſhire*, *Glouceſterſhire*, and *Somerſetſhire*; by *William Halfpenny*, Architect, Price 6*s*.

IV.

A new and compleat Syſtem of Architecture, delineated in a Variety of Plans and Elevations of Deſigns for convenient and decorated Houſes; together with Offices and Out-buildings proportioned thereto, and appropriated to the ſeveral Uſes and Situations requir'd. Prefix'd to theſe are ten different Sorts of Piers, with Gates of various Compoſitions, ſuitable to the ſame, intended for Entrances to Courts, Gardens, *&c.* As alſo new architectonic Rules for drawing the Members in all Kinds and Proportions of the Orders, with Explanations thereto in common Preſs Work, Price 8*s*.

Plate 29

A Double Door in the Chinese Taste





Parr S.

BRITISH
15 DE 1925
MUSEUM

Plate 30

A Double Door in the Chinese Taste



Parr S.

BRITISH
15 DE 1925
MUSEUM

Plate 31.

A Double Door in the Chinese Taste





Parr S.

BRITISH
15 DE 1925
MUSEUM

Plate 32

A Window in the Chinese Taste



Parr S.

BRITISH
15 DE 1926
MUSEUM

Plate 33

A Window in the Chinese Taste





BRITISH
15 DE 1925
MUSEUM

Plate 34.

A Window in the Chinese Taste



Parr S.

BRITISH
15 DE 1925
MUSEUM

Plate 35

A Peir in the Chinese Taste



BRITISH
15 DE 1925
MUSEUM

Plate 36



A Peir or Pilaster in the Chinese Taste



Part 5.

BRITISH
15 DE 1925
MUSEUM

Plate 37

A Peir or Pilaster in the Chinese Taste



Parr S

Plate 38

A Garden Seat in the





at in the Chinese Taste.



6 7 8 9 10 11 12 13 feet

Parr Sculp.

Plate 39



A Garden Seat in the Chine



the Chinese Taste.

Parr Sculp

Plate 40



A Garden Seat in the C



the Chinese Taste.

Parr Sculp.

Plate 41

The Plan and Elivation of a Gr





Green House in ye Chinese Taste



10 20 30 feet

Parr Sculp

Plate 42



The Plan and Elivation of

House in the Chinese



10 20 30 feet

ivation of a Green

e Chinese Taste.



Parr Sculp

Plate 43

The Plan and Elivation of a



Green House in ye Chinese Taste





Parr Sculpt.

Plate 44





The Plan and
Temple, or Summer
In the Chinese Taste.





Plan

Elivation of a

House, on a Tarras.

20 30 40 50 f.

Parr Sculp

BRITISH
15 DE 1925
MUSEUM

NEW

DESIGNS

FOR

CHINESE GATES, PALISADES, STAIR-CASES, CHIMNEY-PIECES, CIELINGS, SEATS, CHAIRS, TEMPLES, *&c.*

ON

SIXTEEN COPPER-PLATES,

WITH

Full INSTRUCTIONS to WORKMEN.

BY

WIL. and *JOHN HALFPENNY*,
Architects.

PART IV.

Publiſhed according to Act of Parliament, January, 1752.

LONDON:

Printed for ROBERT SAYER, Map and Print-ſeller, at the Golden Buck, oppoſite *Fetter-Lane*, *Fleet-Street*.

NEW

DESIGNS

FOR

CHINESE GATES, PALISADES, STAIR-CASES, CHIMNEY-PIECES, CIPHERS, SEATS, CHAIRS, TEMPLES, &c.

ON

SIXTEEN COPPER-PLATES,

WITH

Full INSTRUCTIONS for WORKMEN,

BRITISH MUSEUM

By WILL. and JOHN HALFPENNY,
Architects.

PART IV.

LONDON:

Printed for ROBERT SAYER, Map and Print-seller, at the Golden Buck, opposite Fetter-Lane, Fleet-street.

PART IV.

PLATE XLV.

THIS Front is decorated in the *Chineſe* Manner, and is adapted to a Termini, Green-Houſe, Pleaſure-Room, *&c.* for its Meaſure ſee the Scale.

PLATE XLVI and XLVII.

Perſpective Deſigns for Chairs, partly in the *Chineſe* Manner, moſt ſuitable for Banquetting-Houſes, Rural Buildings, *&c.*

PLATE XLVIII.

Fig. 1. a Garden-Seat, cover'd with a *Chineſe* Cov'd Canopy, *&c.*

Fig. 2. two different Deſigns in the *Chineſe* Manner, for Paliſades of Wood, or Iron.

PLATE XLIX.

The Plan and Elevation of a *Chineſe* Double Garden-Seat, cover'd with a Canopy ſupported by four decorated Piers.

PLATE L.

The Rails of a Stair-Caſe, decorated and fram'd in the *Chineſe* Manner.

PLATE LI.

The Elevation of a Pair of Piers and Gates, decorated and fram'd in the *Chineſe* Manner.

PLATE

PLATE LII.

The Plan and Elevation of an Octagon Temple, decorated in the *Chineſe* Manner, with a Gallery round it, and ſupported by four Flights of Steps over a Piece of Water.

PLATE LIII.

The Plan and Elevation of a circular open Temple, decorated in the *Chineſe* Manner.

PLATE LIV.

The Elevation of a *Chineſe* Temple, with a Terras-Walk, and Slope before it, aſcended to by a Flight of Stone-Steps.

PLATE LV.

The Elevation of a *Chineſe* Tower or Gazebo, ſituated on a Rock, and raiſed to a conſiderable Heighth, and a Gallery round it to render the Proſpect more compleat.

PLATES LVI, LVII, and LVIII.

Three different Deſigns for Chimney Pieces in the *Chineſe* Taſte.

PLATES LIX and LX.

Two different Cielings, decorated with Ornaments in the *Chineſe* Manner.

BRITISH MUSEUM 15 DE 1925

Pl. 45.

A Building for the Termination of a Walk in the Chinese Taste.



10 9 8 7 6 5 4 3 2 1 10 feet

BRITISH
15 DE 1925
MUSEUM

Pl. 46.

A Chair in the Chinese Taste.



BRITISH
15 DE 1925
MUSEUM

Pl. 47.

A Chair in the Chinese Taste.




BRITISH
15 DE 1925
MUSEUM

Pl. 48.

A Garden Seat in the Chinese Taste.

fig. 1.

Palisades in the Chinese Taste.



fig. 2.



BRITISH
15 DE 1925
MUSEUM

Pl. 49.

A Double Garden Seat in the Chinese Taste.



BRITISH
15 DE 1925
MUSEUM

Pl. 50.

A Stair Case in the Chinese Taste



BRITISH
15 DE 1925
MUSEUM

Pl. 51.

A Pair of Piers & Gate in the Chinese Taste.



10 9 8 7 6 5 4 3 2 1 10 feet

BRITISH
15 DE 1926
MUSEUM

Pl. 52.





An Octagon Temple in the Chinese Taste

BRITISH
15 DE 1925
MUSEUM

Pl. 53.

A Circular open Temple in the Chinese Taste.





BRITISH
25 DE 1925

Pl. 54. — The Elevation of a Temple partly in the Chinese Taste.



10 9 8 7 6 5 4 3 2 1 10 fe.

BRITISH
15 DE 1925
MUSEUM

Pl. 55.

The Elevation of a Chinese Gazebo.



10 9 8 7 6 5 4 3 2 1 10 20 feet

BRITISH
15 DE 1925
MUSEUM

Pl. 56.

A Chimney-piece in the Chinese Taste.



BRITISH
15. DE. 1925
MUSEUM

Pl. 57.

A Chimney-piece in the Chinese Taste.

BRITISH
15 DE 1925

Pl. 58.

A Chimney-piece in the Chinese Taste

BRITISH
15 DE 1925
MUSEUM

Pl. 59.

A Quarter-piece for a Ceiling in the Chinese Taste.

BRITISH
15 DE 1925
MUSEUM

Pl. 60.

A Quarter piece for a Ceiling in the Chinese Taste.

BRITISH
15 DE 1925
MUSEUM